



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

SCOTLAND

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:**001709**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

671FT

DRILL DEPTH:

1,230FT

64N

10W

10

UTM XUTM YDEPTH TO BED:

52FT

585,422.82

4,468,435.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 A.J. AMMONDS, 1.5 MI E OF GORINS.W.L. (AFTER CASING):**LOG ID:****013982**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1955/06/

TOWNSHIPRANGESECTIONELEVATION:

734FT

DRILL DEPTH:

548FT

64N

10W

9

UTM XUTM YDEPTH TO BED:

215FT

583,212.80

4,468,271.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #13884 0-400', 13982 400-548'; SEE #13884 FOR COMPLETE LOGS.W.L. (AFTER CASING):**LOG ID:****013884**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1955/06/

TOWNSHIPRANGESECTIONELEVATION:

734FT

DRILL DEPTH:

548FT

64N

10W

9

UTM XUTM YDEPTH TO BED:

215FT

583,112.80

4,468,374.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #13884 - 0-400', #13982 - 400-548'; SEE #13884 FOR COMPLETE LOGS.W.L. (AFTER CASING):**LOG ID:****013593**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1955//

TOWNSHIPRANGESECTIONELEVATION:

734FT

DRILL DEPTH:

185FT

64N

10W

9

UTM XUTM YDEPTH TO BED:

583,212.80

4,468,271.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ABANDONED BECAUSE OF LOW WATER SUPPLYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020721**WELL TYPE

Private Well

DRILL DATE: 1961/03/30TOWNSHIPRANGESECTIONELEVATION:

672FT

DRILL DEPTH: 200FT

64N

11W

1

DEPTH TO BED: 162FTUTM XUTM Y

579,606.76

4,470,099.67

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI W OF GORIN ON HWY US.W.L. (AFTER CASING): 11**LOG ID:****021544**WELL TYPE

Private Well

DRILL DATE: 1962/03/03TOWNSHIPRANGESECTIONELEVATION:

828FT

DRILL DEPTH: 436FT

64N

12W

33

DEPTH TO BED: 170FTUTM XUTM Y

563,836.54

4,462,840.53

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 105**LOG ID:****001710**WELL TYPE

Private Well

DRILL DATE: 1913/00/00TOWNSHIPRANGESECTIONELEVATION:

867FT

DRILL DEPTH: 330FT

64N

13W

26

DEPTH TO BED: 185FTUTM XUTM Y

556,895.56

4,463,918.41

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 170**LOG ID:****026026**WELL TYPE

Private Well

DRILL DATE: 1967/07/07TOWNSHIPRANGESECTIONELEVATION:

742FT

DRILL DEPTH: 555FT

65N

10W

26

DEPTH TO BED: 230FTUTM XUTM Y

586,488.85

4,473,479.74

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI NW OF WYACONDAS.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015566**WELL TYPE

Private Well

DRILL DATE: 1956/08/07TOWNSHIPRANGESECTIONELEVATION:

756FT

DRILL DEPTH: 265FT

65N

11W

28

DEPTH TO BED:UTM XUTM Y

574,084.73

4,474,597.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI SE OF MEMPHIS, YIELD - 25 GPM @ 98'S.W.L. (AFTER CASING): 74**LOG ID:****014383**WELL TYPE

Private Well

DRILL DATE: 1955/11/15TOWNSHIPRANGESECTIONELEVATION:

738FT

DRILL DEPTH: 200FT

65N

11W

29

DEPTH TO BED: 180FTUTM XUTM Y

571,975.70

4,473,309.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****014257**WELL TYPE

Private Well

DRILL DATE: 1955/11/15TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH: 135FT

65N

11W

29

DEPTH TO BED:UTM XUTM Y

572,375.71

4,473,512.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****001554**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1900/09/00TOWNSHIPRANGESECTIONELEVATION:

770FT

DRILL DEPTH: 292FT

65N

11W

5

DEPTH TO BED: 235FTUTM XUTM Y

572,104.75

4,480,269.56

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1.5 MI NE OF MEMPHIS - 2.25 IN HOLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001708**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1887/00/00TOWNSHIPRANGESECTIONELEVATION:

790FT

DRILL DEPTH: 309FT

65N

11W

6

DEPTH TO BED: 158FTUTM XUTM Y

570,600.73

4,479,692.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

N EDGE OF MEMPHIS

S.W.L. (AFTER CASING):**LOG ID:****001707**WELL TYPE

Community Public Well

DRILL DATE: 1914/00/00TOWNSHIPRANGESECTIONELEVATION:

797FT

DRILL DEPTH: 1,200FT

65N

11W

7

DEPTH TO BED: 225FTUTM XUTM Y

570,607.73

4,478,907.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****027208**WELL TYPE

Private Well

DRILL DATE: 1968/10/18TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH: 385FT

65N

11W

8

DEPTH TO BED: 177FTUTM XUTM Y

572,702.74

4,478,650.57

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

W EDGE OF MEMPHIS; YIELD - 7 GPM @ 235'

S.W.L. (AFTER CASING): 92**LOG ID:****001552**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1901/01/00TOWNSHIPRANGESECTIONELEVATION:

706FT

DRILL DEPTH: 173FT

65N

12W

1

DEPTH TO BED: 75FTUTM XUTM Y

568,074.72

4,480,875.52

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

2.25 IN HOLE

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015132

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/07/16 TOWNSHIP 65N RANGE 12W SECTION 12 ELEVATION: 703FT
DRILL DEPTH: 53FT UTM X 569,007.71 UTM Y 4,478,542.53
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: TEST HOLE #3
S.W.L. (AFTER CASING):

LOG ID:
015133

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: TOWNSHIP 65N RANGE 12W SECTION 12 ELEVATION: 707FT
DRILL DEPTH: 101FT UTM X 569,407.72 UTM Y 4,478,749.54
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: TEST HOLE #1, W OF LIGHT PLANT, CONVERTED TO CITY WELL
S.W.L. (AFTER CASING): 11

LOG ID:
015180

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/07/27 TOWNSHIP 65N RANGE 12W SECTION 12 ELEVATION: 702FT
DRILL DEPTH: 50FT UTM X 569,407.72 UTM Y 4,478,749.54
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: TEST HOLE #5
S.W.L. (AFTER CASING):

LOG ID:
015136

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/07/18 TOWNSHIP 65N RANGE 12W SECTION 12 ELEVATION: 710FT
DRILL DEPTH: 59FT UTM X 569,407.72 UTM Y 4,478,749.54
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: TEST HOLE #4 - EAST OF LIGHT PLANT
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015135**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/07/30TOWNSHIP RANGE SECTION

65N

12W

12

ELEVATION: 703FTDRILL DEPTH: 53FTUTM X UTM Y

569,407.72 4,478,749.54

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: TEST HOLE #6 - S OF LIGHT PLANTS.W.L. (AFTER CASING):**LOG ID:****001553**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1900/11/00TOWNSHIP RANGE SECTION

65N

12W

12

ELEVATION: 697FTDRILL DEPTH: 168FTUTM X UTM Y

569,307.71 4,478,646.54

ZONE 15

DEPTH TO BED: 120FTS.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****018149**WELL TYPE

Private Well

DRILL DATE: 1958/02/TOWNSHIP RANGE SECTION

65N

12W

13

ELEVATION: 703FTDRILL DEPTH: 825FTUTM X UTM Y

569,123.70 4,477,238.54

ZONE 15

DEPTH TO BED: 150FTS.W.L. (BEFORE CASING):REMARKS: formerly in name of J.B. AppersonS.W.L. (AFTER CASING):**LOG ID:****015134**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/07/06TOWNSHIP RANGE SECTION

65N

12W

14

ELEVATION: 707FTDRILL DEPTH: 63FTUTM X UTM Y

567,303.69 4,477,817.52

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: TEST HOLE #2 - E SD OF LAKES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024883**WELL TYPE

Private Well

DRILL DATE: 1966/06/07TOWNSHIP RANGE SECTIONELEVATION: 815FTDRILL DEPTH: 400FT

65N 12W 17

DEPTH TO BED: 260FTUTM X UTM Y
561,890.67 4,477,706.46
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 5.5 MI W OF MEMPHIS ON HWY 136S.W.L. (AFTER CASING): 55**LOG ID:****001653**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1901/04/00TOWNSHIP RANGE SECTIONELEVATION: 695FTDRILL DEPTH: 153FT

65N 12W 2

DEPTH TO BED: 67FTUTM X UTM Y
567,454.72 4,480,806.51
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****001652**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1901/03/00TOWNSHIP RANGE SECTIONELEVATION: 720FTDRILL DEPTH: 135FT

65N 12W 2

DEPTH TO BED: 90FTUTM X UTM Y
566,454.70 4,480,215.50
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 2.25 IN HOLES.W.L. (AFTER CASING):**LOG ID:****015131**WELL TYPE

Private Well

DRILL DATE: 1956/03/03TOWNSHIP RANGE SECTIONELEVATION: 776FTDRILL DEPTH: 208FT

66N 11W 3

DEPTH TO BED:UTM X UTM Y
575,386.83 4,489,552.47
ZONE 15S.W.L. (BEFORE CASING):REMARKS: DRY HOLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010215

WELL TYPE
Private Well

DRILL DATE: 1948/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 803FT

DRILL DEPTH: 243FT

66N 11W 30

DEPTH TO BED: 225FT

UTM X UTM Y
570,477.76 4,484,172.52
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2 MI N OF MEMPHIS ON HWY 15

S.W.L. (AFTER CASING):

LOG ID:
015594

WELL TYPE
Private Well

DRILL DATE: 1956/09/24

TOWNSHIP RANGE SECTION

ELEVATION: 788FT

DRILL DEPTH: 145FT

66N 11W 4

DEPTH TO BED:

UTM X UTM Y
574,837.83 4,489,446.47
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRY HOLE - ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
024267

WELL TYPE
Private Well

DRILL DATE: 1964/04/17

TOWNSHIP RANGE SECTION

ELEVATION: 770FT

DRILL DEPTH: 95FT

66N 12W 22

DEPTH TO BED:

UTM X UTM Y
564,798.73 4,484,981.44
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
024283

WELL TYPE
Private Well

DRILL DATE: 1964/01/22

TOWNSHIP RANGE SECTION

ELEVATION: 786FT

DRILL DEPTH: 125FT

66N 12W 25

DEPTH TO BED:

UTM X UTM Y
569,244.74 4,483,055.52
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 57



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001790**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1901/00/00TOWNSHIP RANGE SECTION

66N 12W 36

ELEVATION: 740FTDRILL DEPTH: 234FTUTM X UTM YDEPTH TO BED: 164FT569,472.73 4,481,238.53
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 4 MI S OF MEMPHISS.W.L. (AFTER CASING):**LOG ID:****014258**WELL TYPE

Private Well

DRILL DATE: 1955/08/11TOWNSHIP RANGE SECTION

67N 11W 33

ELEVATION: 771FTDRILL DEPTH: 107FTUTM X UTM YDEPTH TO BED:573,872.84 4,492,253.40
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 28 GPM @ 58'S.W.L. (AFTER CASING): 49**LOG ID:****015581**WELL TYPE

Private Well

DRILL DATE: 1956/09/28TOWNSHIP RANGE SECTION

67N 11W 33

ELEVATION: 743FTDRILL DEPTH: 140FTUTM X UTM YDEPTH TO BED:573,772.84 4,492,253.40
ZONE 15S.W.L. (BEFORE CASING):REMARKS: DRY & ABANDONEDS.W.L. (AFTER CASING):

SCOTLAND